



The possibilities are endless



Create a custom power distribution center with AMAXX by MENNEKES; a new and innovative enclosure system. AMAXX provides maximum flexibility to quickly and easily satisfy a variety of plant requirements. AMAXX greatly reduces the time and cost to design, assemble and mount your power distribution application and gives you the flexibility to maintain and optimize current plant standards.

AMAXX non-metallic enclosures and module plates are molded with Valox™ thermoplastic material and are rated NEMA 4X. Units can be ganged together or used individually; hinged covers provide easy access to interior components for quick installation. You can order AMAXX fully wired or as a kit— choose from numerous pre-configured combinations, order blank plates for customization or inquire about other options for your specific needs.

Start with a blank enclosure, available in 5 sizes.



Each section measures approximately 5" x 9" x 7".

Select from these standard options or consult with our AMAXX team for a customized solution at (800) 882-7584.




**Switched and Interlocked Receptacle Module**

- Disconnect switch prewired to IEC 60309 pin and sleeve style receptacle
- Available in 20A, 30A and 60A – 3, 4 or 5 Wire



**IEC 60309 Receptacle Module**

- IEC 60309 pin and sleeve style receptacles
- Available in 20A, 30A and 60A – 3, 4 or 5 wire in all voltage configurations



**Motor Disconnects Switches**

- Available 20A – 60A, 5-20 HP
- Install multiple disconnects in one enclosure




**Various Receptacle Standards**

- Duplex, GFCI
- 20A – 50A NEMA locking devices
- CAT 6 Ethernet Ports
- All fitted with MENNEKES NEMA 3R outlet covers; in-use or weatherproof



**Overcurrent Protection Module**

- Circuit breakers or fusing
- Accessible through hinged window



**Blank Module**


- Provides design flexibility
- Replaceable for future configurations

Also available...

**SpecMAXX by MENNEKES<sup>®</sup>**

**Customizable Power Distribution in a Sloped-Top Stainless Enclosure**

- UL Listed NEMA 4X, 12 Stainless Steel Enclosure
- 15° sloped roof and drainage channel for runoff
- Generous wiring space, sealed fixing holes
- Shrouded side walls to protect cover mounted components
- Designed for the harshest environments



\* Valox is a trademark of SABIC Innovative Plastics, acquired from General Electric Company.



MY POWER CONNECTION

**MENNEKES**

**Electrical Products**

277 Fairfield Road  
Fairfield, NJ 07004

Tel: (800) 882-7584

Fax: (973) 882-5585

Email: [info@MENNEKES.com](mailto:info@MENNEKES.com)

Internet: [www.MENNEKES.com](http://www.MENNEKES.com)



[www.MENNEKES.com](http://www.MENNEKES.com)